

TEST ID NUMBER: 910598
DATE RECEIVED: 12/31/2014
REPORT DATE: 01/08/2015

PAISLEY SCHOOL
260 GREEN ST
PAISLEY, OR 97636

TEST LOCATION
260 GREEN ST
LAKE COUNTY
PAISLEY, OR 97636

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
3147001	1ST FLOOR GYM	Dec 24, 2014 7:55 AM	Dec 28, 2014 7:55 AM	Jan 01, 2015 1:13 AM	1.5 pCi/L
3114450	1ST FLOOR GYM	Dec 24, 2014 7:55 AM	Dec 28, 2014 7:55 AM	Jan 01, 2015 1:23 AM	1.0 pCi/L

AVERAGE RADON LEVEL (average result of two tests) : 1.3 pCi/L

THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PC/L) OR HIGHER. Please read the EPA Citizen's Guide to Radon at www.epa.gov/radon/pubs/citguide.html. Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**

LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Malissa Sears, RMS

NEHA-NRPP CERT# 104126RT
AARST ID#779



James E. McDonnell IV

NEHA-NRPP ID# 103456RT
AARST ID#558

PRO-LAB NEHA ID# 101461AL



RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 910591
DATE RECEIVED: 12/31/2014
REPORT DATE: 01/08/2015

PAISLEY SCHOOL DIST 11
260 GREEN ST
PAISLEY, OR 97636

TEST LOCATION
260 GREEN ST
LAKE COUNTY
PAISLEY, OR 97636

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
3114721	BASEMENT AUDITORIUM	Dec 23, 2014 7:32 PM	Dec 27, 2014 7:42 PM	Jan 01, 2015 4:47 AM	0.4 pCi/L
3114716	BASEMENT AUDITORIUM	Dec 23, 2014 7:32 PM	Dec 27, 2014 7:42 PM	Jan 01, 2015 4:58 AM	0.6 pCi/L

AVERAGE RADON LEVEL (average result of two tests) : 0.5 pCi/L

THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCi/L) OR HIGHER. Please read the EPA Citizen's Guide to Radon at www.epa.gov/radon/pubs/citguide.html. Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**

LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Malissa Sears, RMS
NEHA-NRPP CERT# 104126RT
AARST ID#779

James E. McDonnell IV
NEHA-NRPP ID# 103456RT
AARST ID#558

PRO-LAB NEHA ID# 101461AL

TEST ID NUMBER: 910601
DATE RECEIVED: 12/31/2014
REPORT DATE: 01/08/2015

PAISLEY SCHOOL DISTRICT 11
 260 GREEN ST
 PAISLEY, OR 97636

TEST LOCATION
 260 GREEN ST
 LAKE COUNTY
 PAISLEY, OR 97636

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

HERE ARE YOUR TEST RESULTS


<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
3114174	1ST FLOOR 5-6 GRADE ROOM	Dec 23, 2014 7:25 PM	Dec 27, 2014 7:35 PM	Jan 01, 2015 3:21 AM	0.6 pCi/L
3146928	1ST FLOOR 5-6 GRADE ROOM	Dec 23, 2014 7:25 PM	Dec 27, 2014 7:35 PM	Jan 01, 2015 3:32 AM	0.3 pCi/L

AVERAGE RADON LEVEL (average result of two tests) : 0.5 pCi/L

THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCi/L) OR HIGHER. Please read the EPA Citizen's Guide to Radon at www.epa.gov/radon/pubs/citguide.html. Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**

LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Malissa Sears, RMS
 NEHA-NRPP CERT# 104126RT
 AARST ID#779



James E. McDonnell IV
 NEHA-NRPP ID# 103456RT
 AARST ID#558

R1455a



RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 910801
DATE RECEIVED: 01/02/2015
REPORT DATE: 01/09/2015

PAISLEY SCHOOL
260 GREEN ST
PAISLEY, OR 97636

TEST LOCATION
260 GREEN ST
LAKE COUNTY
PAISLEY, OR 97636

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
3114533	1ST FLOOR CAFETERIA	Dec 23, 2014 7:40 PM	Dec 27, 2014 7:45 PM	Jan 03, 2015 7:17 AM	1.3 pCi/L
3114541	1ST FLOOR CAFETERIA	Dec 23, 2014 7:40 PM	Dec 27, 2014 7:45 PM	Jan 03, 2015 7:28 AM	1.6 pCi/L

AVERAGE RADON LEVEL (average result of two tests) : 1.5 pCi/L

THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (pCi/L) OR HIGHER. Please read the EPA Citizen's Guide to Radon at www.epa.gov/radon/pubs/citguide.html. Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**

LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Malissa Sears, RMS
NEHA-NRPP CERT# 104126RT
AARST ID#779

James E. McDonnell IV
NEHA-NRPP ID# 103456RT
AARST ID#558

PRO-LAB NEHA ID# 101461AL