

### Report & Sample Dates

DATE RECEIVED: 12/28/2020  
REPORT DATE: 1/4/2021

### Laboratory Certification Info

NRPP ID#: 101132 AL  
STATE ID#:   
ELAP ID#: 11430 NY

## RADON TEST REPORT

Ruth Robinson  
P.o. Box 97  
260 Green Street  
Paisley, OREGON 97636 USA

### YOUR RADON TEST RESULTS:

RADON LEVEL: **1.3 pCi/L**  
TEST KIT SERIAL #: **FC521620**  
LAB ID: 2248772

TEST ADDRESS: 260 Green Street  
Paisley, OREGON 97636 USA

TEST FLOOR: Not Provided  
TEST LOCATION: Storage Basement  
CLOSED HOUSE: Yes

TEST TYPE: Activated Charcoal  
SAMPLE TYPE: Short Term  
TEST METHOD: EPA-402-R-92-004

TEST START: 10:05 AM 12/22/2020  
TEST END: 12:29 PM 12/24/2020  
EXPOSURE: 50.4 Hours

### RADON HEALTH RISK INFORMATION:

Radon is the second leading cause of lung cancer, after smoking. The more elevated a home's radon level, the greater the health risk to you and your family. Smokers and former smokers are at especially high risk.

Radon concentration is measured in picocuries per liter of air (pCi/L). The US Environmental Protection Agency and the Surgeon General strongly recommend taking further action when the home's radon test results are 4 pCi/L or greater. Even homes with very high levels can be reduced below 4 pCi/L. The EPA recommends that you use a NRPP/NRSB or state-approved contractor to correct radon problems. Radon levels less than 4 pCi/L still pose some risk and in many cases may be reduced. If the radon level in your home is between 2 pCi/L and 4 pCi/L, The US Environmental Protection Agency and the Surgeon General recommend that you consider correcting the problem in your home.

QA/QC - Short Term Radon Tests have an estimated accuracy of  $\pm 5\%$  when used according to directions.

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Labs did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Labs is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director



Date 1/4/2021

### IF YOU HAVE QUESTIONS ABOUT WHAT YOUR RESULTS MEAN:

EPA National Hotline: (800) 557-2366, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact:

### IF YOU HAVE QUESTIONS ABOUT HOW TO FIX A RADON PROBLEM:

Radon Fix-it Hotline: (800) 644-6999, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact:

### Report & Sample Dates

DATE RECEIVED: 12/28/2020  
REPORT DATE: 1/4/2021  
REVISION DATE: 1/4/2021

### Laboratory Certification Info

NRPP ID#: 101132 AL  
STATE ID#: N/A  
ELAP ID#: 11430 NY

Ruth Robinson  
Ruth Robinson  
P.o. Box 97  
260 Green Street  
Paisley, OREGON 97636 USA

## RADON TEST REPORT

Revised

### YOUR RADON TEST RESULTS:

RADON LEVEL: **1.3 pCi/L**  
TEST KIT SERIAL #: **FC521620**  
LAB ID: 2248772

TEST ADDRESS: 260 Green St  
Paisley, OR 97636 USA

TEST FLOOR: Not Provided  
TEST LOCATION: Storage Basement  
CLOSED HOUSE: Yes

TEST TYPE: Activated Charcoal  
SAMPLE TYPE: Short Term  
TEST METHOD: EPA-402-R-92-004

TEST START: 10:05 AM 12/22/2020  
TEST END: 12:29 PM 12/24/2020  
EXPOSURE: 50.4 Hours

### RADON HEALTH RISK INFORMATION:

Radon is the second leading cause of lung cancer, after smoking. The more elevated a home's radon level, the greater the health risk to you and your family. Smokers and former smokers are at especially high risk.

Radon concentration is measured in picocuries per liter of air (pCi/L). The US Environmental Protection Agency and the Surgeon General strongly recommend taking further action when the home's radon test results are 4 pCi/L or greater. Even homes with very high levels can be reduced below 4 pCi/L. The EPA recommends that you use a NRPP/NRSB or state-approved contractor to correct radon problems. Radon levels less than 4 pCi/L still pose some risk and in many cases may be reduced. If the radon level in your home is between 2 pCi/L and 4 pCi/L, The US Environmental Protection Agency and the Surgeon General recommend that you consider correcting the problem in your home.

QA/QC - Short Term Radon Tests have an estimated accuracy of  $\pm 5\%$  when used according to directions.

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Labs did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Labs is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director



Date 1/4/2021

### IF YOU HAVE QUESTIONS ABOUT WHAT YOUR RESULTS MEAN:

EPA National Hotline: (800) 557-2366, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### IF YOU HAVE QUESTIONS ABOUT HOW TO FIX A RADON PROBLEM:

Radon Fix-it Hotline: (800) 644-6999, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944



### Report & Sample Dates

DATE RECEIVED: 12/28/2020  
REPORT DATE: 1/4/2021

### Laboratory Certification Info

NRPP ID#: 101132 AL  
STATE ID#: N/A  
ELAP ID#: 11430 NY

Ruth Robinson  
Ruth Robinson  
P.o. Box 97  
260 Green Street  
Paisley, OREGON 97636 USA

## RADON TEST REPORT

### YOUR RADON TEST RESULTS:

RADON LEVEL: **1.3 pCi/L**  
TEST KIT SERIAL #: **FC629598**  
LAB ID: 2248773

TEST ADDRESS: 260 Green St  
Paisley, OR 97636 USA

TEST FLOOR: Not Provided  
TEST LOCATION: Cafeteria Kitchen  
CLOSED HOUSE: Yes

TEST TYPE: Activated Charcoal  
SAMPLE TYPE: Short Term  
TEST METHOD: EPA-402-R-92-004

TEST START: 10:10 AM 12/22/2020  
TEST END: 12:01 PM 12/24/2020  
EXPOSURE: 49.85 Hours

### RADON HEALTH RISK INFORMATION:

Radon is the second leading cause of lung cancer, after smoking. The more elevated a home's radon level, the greater the health risk to you and your family. Smokers and former smokers are at especially high risk.

Radon concentration is measured in picocuries per liter of air (pCi/L). The US Environmental Protection Agency and the Surgeon General strongly recommend taking further action when the home's radon test results are 4 pCi/L or greater. Even homes with very high levels can be reduced below 4 pCi/L. The EPA recommends that you use a NRPP/NRSB or state-approved contractor to correct radon problems. Radon levels less than 4 pCi/L still pose some risk and in many cases may be reduced. If the radon level in your home is between 2 pCi/L and 4 pCi/L, The US Environmental Protection Agency and the Surgeon General recommend that you consider correcting the problem in your home.

QA/QC - Short Term Radon Tests have an estimated accuracy of  $\pm 5\%$  when used according to directions.

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Labs did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Labs is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director



Date 1/4/2021

### IF YOU HAVE QUESTIONS ABOUT WHAT YOUR RESULTS MEAN:

EPA National Hotline: (800) 557-2366, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### IF YOU HAVE QUESTIONS ABOUT HOW TO FIX A RADON PROBLEM:

Radon Fix-it Hotline: (800) 644-6999, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### Report & Sample Dates

DATE RECEIVED: 12/28/2020  
REPORT DATE: 1/4/2021

### Laboratory Certification Info

NRPP ID#: 101132 AL  
STATE ID#: N/A  
ELAP ID#: 11430 NY

Ruth Robinson  
Ruth Robinson  
P.o. Box 97  
260 Green Street  
Paisley, OREGON 97636 USA

## RADON TEST REPORT

### YOUR RADON TEST RESULTS:

**RADON LEVEL: 1.2 pCi/L**  
**TEST KIT SERIAL #: FC521675**  
**LAB ID: 2248774**

TEST TYPE: Activated Charcoal  
SAMPLE TYPE: Short Term  
TEST METHOD: EPA-402-R-92-004

TEST ADDRESS: 260 Green St  
Paisley, OR 97636 USA

TEST FLOOR: Not Provided  
TEST LOCATION: K-3 Room  
CLOSED HOUSE: Yes

TEST START: 09:45 AM 12/22/2020  
TEST END: 11:35 AM 12/24/2020  
EXPOSURE: 49.83 Hours

### RADON HEALTH RISK INFORMATION:

Radon is the second leading cause of lung cancer, after smoking. The more elevated a home's radon level, the greater the health risk to you and your family. Smokers and former smokers are at especially high risk.

Radon concentration is measured in picocuries per liter of air (pCi/L). The US Environmental Protection Agency and the Surgeon General strongly recommend taking further action when the home's radon test results are 4 pCi/L or greater. Even homes with very high levels can be reduced below 4 pCi/L. The EPA recommends that you use a NRPP/NRSB or state-approved contractor to correct radon problems. Radon levels less than 4 pCi/L still pose some risk and in many cases may be reduced. If the radon level in your home is between 2 pCi/L and 4 pCi/L, The US Environmental Protection Agency and the Surgeon General recommend that you consider correcting the problem in your home.

QA/QC - Short Term Radon Tests have an estimated accuracy of  $\pm 5\%$  when used according to directions.

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Labs did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Labs is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director



Date 1/4/2021

### IF YOU HAVE QUESTIONS ABOUT WHAT YOUR RESULTS MEAN:

EPA National Hotline: (800) 557-2366, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### IF YOU HAVE QUESTIONS ABOUT HOW TO FIX A RADON PROBLEM:

Radon Fix-it Hotline: (800) 644-6999, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944



### Report & Sample Dates

DATE RECEIVED: 12/28/2020  
REPORT DATE: 1/4/2021

### Laboratory Certification Info

NRPP ID#: 101132 AL  
STATE ID#: N/A  
ELAP ID#: 11430 NY

Ruth Robinson  
Ruth Robinson  
P.o. Box 97  
260 Green Street  
Paisley, OREGON 97636 USA

## RADON TEST REPORT

### YOUR RADON TEST RESULTS:

RADON LEVEL: **1.4 pCi/L**  
TEST KIT SERIAL #: **FC630457**  
LAB ID: 2248787

TEST ADDRESS: 260 Green St  
Paisley, OR 97636 USA

TEST FLOOR: Not Provided  
TEST LOCATION: Gym Basement North End  
CLOSED HOUSE: Yes

TEST TYPE: Activated Charcoal  
SAMPLE TYPE: Short Term  
TEST METHOD: EPA-402-R-92-004

TEST START: 10:20 AM 12/22/2020  
TEST END: 12:07 PM 12/24/2020  
EXPOSURE: 49.78 Hours

### RADON HEALTH RISK INFORMATION:

Radon is the second leading cause of lung cancer, after smoking. The more elevated a home's radon level, the greater the health risk to you and your family. Smokers and former smokers are at especially high risk.

Radon concentration is measured in picocuries per liter of air (pCi/L). The US Environmental Protection Agency and the Surgeon General strongly recommend taking further action when the home's radon test results are 4 pCi/L or greater. Even homes with very high levels can be reduced below 4 pCi/L. The EPA recommends that you use a NRPP/NRSB or state-approved contractor to correct radon problems. Radon levels less than 4 pCi/L still pose some risk and in many cases may be reduced. If the radon level in your home is between 2 pCi/L and 4 pCi/L, The US Environmental Protection Agency and the Surgeon General recommend that you consider correcting the problem in your home.

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Labs did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Labs is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director



Date 1/4/2021

### IF YOU HAVE QUESTIONS ABOUT WHAT YOUR RESULTS MEAN:

EPA National Hotline: (800) 557-2366, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### IF YOU HAVE QUESTIONS ABOUT HOW TO FIX A RADON PROBLEM:

Radon Fix-it Hotline: (800) 644-6999, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### Report & Sample Dates

DATE RECEIVED: 12/28/2020  
REPORT DATE: 1/4/2021

### Laboratory Certification Info

NRPP ID#: 101132 AL  
STATE ID#: N/A  
ELAP ID#: 11430 NY

Ruth Robinson  
Ruth Robinson  
P.o. Box 97  
260 Green Street  
Paisley, OREGON 97636 USA

## RADON TEST REPORT

### YOUR RADON TEST RESULTS:

RADON LEVEL: **1.5 pCi/L**  
TEST KIT SERIAL #: **FC521220**  
LAB ID: 2248780

TEST ADDRESS: 260 Green St  
Paisley, OR 97636 USA

TEST FLOOR: Not Provided  
TEST LOCATION: Girls Locker Room  
CLOSED HOUSE: Yes

TEST TYPE: Activated Charcoal  
SAMPLE TYPE: Short Term  
TEST METHOD: EPA-402-R-92-004

TEST START: 10:22 AM 12/22/2020  
TEST END: 12:12 PM 12/24/2020  
EXPOSURE: 49.83 Hours

### RADON HEALTH RISK INFORMATION:

Radon is the second leading cause of lung cancer, after smoking. The more elevated a home's radon level, the greater the health risk to you and your family. Smokers and former smokers are at especially high risk.


Radon concentration is measured in picocuries per liter of air (pCi/L). The US Environmental Protection Agency and the Surgeon General strongly recommend taking further action when the home's radon test results are 4 pCi/L or greater. Even homes with very high levels can be reduced below 4 pCi/L. The EPA recommends that you use a NRPP/NRSB or state-approved contractor to correct radon problems. Radon levels less than 4 pCi/L still pose some risk and in many cases may be reduced. If the radon level in your home is between 2 pCi/L and 4 pCi/L, The US Environmental Protection Agency and the Surgeon General recommend that you consider correcting the problem in your home.

QA/QC - Short Term Radon Tests have an estimated accuracy of  $\pm 5\%$  when used according to directions.

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Labs did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Labs is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director



Date 1/4/2021

### IF YOU HAVE QUESTIONS ABOUT WHAT YOUR RESULTS MEAN:

EPA National Hotline: (800) 557-2366, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### IF YOU HAVE QUESTIONS ABOUT HOW TO FIX A RADON PROBLEM:

Radon Fix-it Hotline: (800) 644-6999, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944



### Report & Sample Dates

DATE RECEIVED: 12/28/2020  
REPORT DATE: 1/4/2021

### Laboratory Certification Info

NRPP ID#: 101132 AL  
STATE ID#: N/A  
ELAP ID#: 11430 NY

Ruth Robinson  
Ruth Robinson  
P.o. Box 97  
260 Green Street  
Paisley, OREGON 97636 USA

## RADON TEST REPORT

### YOUR RADON TEST RESULTS:

**RADON LEVEL: 1.5 pCi/L**  
**TEST KIT SERIAL #: FC522071**  
**LAB ID: 2248779**

TEST ADDRESS: 260 Green St  
Paisley, OR 97636 USA

TEST FLOOR: Not Provided  
TEST LOCATION: Welding Shop  
CLOSED HOUSE: Yes

TEST TYPE: Activated Charcoal  
SAMPLE TYPE: Short Term  
TEST METHOD: EPA-402-R-92-004

TEST START: 10:30 AM 12/22/2020  
TEST END: 12:15 PM 12/24/2020  
EXPOSURE: 49.75 Hours

### RADON HEALTH RISK INFORMATION:

Radon is the second leading cause of lung cancer, after smoking. The more elevated a home's radon level, the greater the health risk to you and your family. Smokers and former smokers are at especially high risk.

Radon concentration is measured in picocuries per liter of air (pCi/L). The US Environmental Protection Agency and the Surgeon General strongly recommend taking further action when the home's radon test results are 4 pCi/L or greater. Even homes with very high levels can be reduced below 4 pCi/L. The EPA recommends that you use a NRPP/NRSB or state-approved contractor to correct radon problems. Radon levels less than 4 pCi/L still pose some risk and in many cases may be reduced. If the radon level in your home is between 2 pCi/L and 4 pCi/L, The US Environmental Protection Agency and the Surgeon General recommend that you consider correcting the problem in your home.

QA/QC - Short Term Radon Tests have an estimated accuracy of  $\pm 5\%$  when used according to directions.

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Labs did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Labs is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director



Date 1/4/2021

### IF YOU HAVE QUESTIONS ABOUT WHAT YOUR RESULTS MEAN:

EPA National Hotline: (800) 557-2366, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### IF YOU HAVE QUESTIONS ABOUT HOW TO FIX A RADON PROBLEM:

Radon Fix-it Hotline: (800) 644-6999, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### Report & Sample Dates

DATE RECEIVED: 12/28/2020  
REPORT DATE: 1/4/2021

### Laboratory Certification Info

NRPP ID#: 101132 AL  
STATE ID#: N/A  
ELAP ID#: 11430 NY

Ruth Robinson  
Ruth Robinson  
P.o. Box 97  
260 Green Street  
Paisley, OREGON 97636 USA

## RADON TEST REPORT

### YOUR RADON TEST RESULTS:

**RADON LEVEL: 1.9 pCi/L**  
**TEST KIT SERIAL #: FC521662**  
**LAB ID: 2248775**

TEST ADDRESS: 260 Green St  
Paisley, OR 97636 USA

TEST FLOOR: Not Provided  
TEST LOCATION: Woodshop  
CLOSED HOUSE: Yes

TEST TYPE: Activated Charcoal  
SAMPLE TYPE: Short Term  
TEST METHOD: EPA-402-R-92-004

TEST START: 10:30 AM 12/22/2020  
TEST END: 12:20 PM 12/24/2020  
EXPOSURE: 49.83 Hours

### RADON HEALTH RISK INFORMATION:

Radon is the second leading cause of lung cancer, after smoking. The more elevated a home's radon level, the greater the health risk to you and your family. Smokers and former smokers are at especially high risk.

Radon concentration is measured in picocuries per liter of air (pCi/L). The US Environmental Protection Agency and the Surgeon General strongly recommend taking further action when the home's radon test results are 4 pCi/L or greater. Even homes with very high levels can be reduced below 4 pCi/L. The EPA recommends that you use a NRPP/NRSB or state-approved contractor to correct radon problems. Radon levels less than 4 pCi/L still pose some risk and in many cases may be reduced. If the radon level in your home is between 2 pCi/L and 4 pCi/L, The US Environmental Protection Agency and the Surgeon General recommend that you consider correcting the problem in your home.

QA/QC - Short Term Radon Tests have an estimated accuracy of  $\pm 5\%$  when used according to directions.

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Labs did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Labs is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director



Date 1/4/2021

### IF YOU HAVE QUESTIONS ABOUT WHAT YOUR RESULTS MEAN:

EPA National Hotline: (800) 557-2366, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### IF YOU HAVE QUESTIONS ABOUT HOW TO FIX A RADON PROBLEM:

Radon Fix-it Hotline: (800) 644-6999, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944



### Report & Sample Dates

DATE RECEIVED: 12/28/2020  
REPORT DATE: 1/4/2021

### Laboratory Certification Info

NRPP ID#: 101132 AL  
STATE ID#: N/A  
ELAP ID#: 11430 NY

Ruth Robinson  
Ruth Robinson  
P.o. Box 97  
260 Green Street  
Paisley, OREGON 97636 USA

## RADON TEST REPORT

### YOUR RADON TEST RESULTS:

RADON LEVEL: **0.6 pCi/L**  
TEST KIT SERIAL #: **FC521648**  
LAB ID: 2248776

TEST ADDRESS: 260 Green St  
Paisley, OR 97636 USA

TEST FLOOR: Not Provided  
TEST LOCATION: Auditorium  
CLOSED HOUSE: Yes

TEST TYPE: Activated Charcoal  
SAMPLE TYPE: Short Term  
TEST METHOD: EPA-402-R-92-004

TEST START: 10:01 AM 12/22/2020  
TEST END: 11:55 AM 12/24/2020  
EXPOSURE: 49.9 Hours

### RADON HEALTH RISK INFORMATION:

Radon is the second leading cause of lung cancer, after smoking. The more elevated a home's radon level, the greater the health risk to you and your family. Smokers and former smokers are at especially high risk.

Radon concentration is measured in picocuries per liter of air (pCi/L). The US Environmental Protection Agency and the Surgeon General strongly recommend taking further action when the home's radon test results are 4 pCi/L or greater. Even homes with very high levels can be reduced below 4 pCi/L. The EPA recommends that you use a NRPP/NRSB or state-approved contractor to correct radon problems. Radon levels less than 4 pCi/L still pose some risk and in many cases may be reduced. If the radon level in your home is between 2 pCi/L and 4 pCi/L, The US Environmental Protection Agency and the Surgeon General recommend that you consider correcting the problem in your home.

QA/QC - Short Term Radon Tests have an estimated accuracy of  $\pm 5\%$  when used according to directions.

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Labs did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Labs is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director



Date 1/4/2021

### IF YOU HAVE QUESTIONS ABOUT WHAT YOUR RESULTS MEAN:

EPA National Hotline: (800) 557-2366, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### IF YOU HAVE QUESTIONS ABOUT HOW TO FIX A RADON PROBLEM:

Radon Fix-it Hotline: (800) 644-6999, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### Report & Sample Dates

DATE RECEIVED: 12/28/2020  
REPORT DATE: 1/4/2021

### Laboratory Certification Info

NRPP ID#: 101132 AL  
STATE ID#: N/A  
ELAP ID#: 11430 NY

Ruth Robinson  
Ruth Robinson  
P.o. Box 97  
260 Green Street  
Paisley, OREGON 97636 USA

## RADON TEST REPORT

### YOUR RADON TEST RESULTS:

**RADON LEVEL: 0.7 pCi/L**  
**TEST KIT SERIAL #: FC521733**  
**LAB ID: 2248777**

TEST ADDRESS: 260 Green St  
Paisley, OR 97636 USA

TEST FLOOR: Not Provided  
TEST LOCATION: 4-6 Grade Room  
CLOSED HOUSE: Yes

TEST TYPE: Activated Charcoal  
SAMPLE TYPE: Short Term  
TEST METHOD: EPA-402-R-92-004

TEST START: 09:46 AM 12/22/2020  
TEST END: 11:46 AM 12/24/2020  
EXPOSURE: 50 Hours

### RADON HEALTH RISK INFORMATION:

Radon is the second leading cause of lung cancer, after smoking. The more elevated a home's radon level, the greater the health risk to you and your family. Smokers and former smokers are at especially high risk.

Radon concentration is measured in picocuries per liter of air (pCi/L). The US Environmental Protection Agency and the Surgeon General strongly recommend taking further action when the home's radon test results are 4 pCi/L or greater. Even homes with very high levels can be reduced below 4 pCi/L. The EPA recommends that you use a NRPP/NRSB or state-approved contractor to correct radon problems. Radon levels less than 4 pCi/L still pose some risk and in many cases may be reduced. If the radon level in your home is between 2 pCi/L and 4 pCi/L, The US Environmental Protection Agency and the Surgeon General recommend that you consider correcting the problem in your home.

QA/QC - Short Term Radon Tests have an estimated accuracy of  $\pm 5\%$  when used according to directions.

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Labs did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Labs is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director



Date 1/4/2021

### IF YOU HAVE QUESTIONS ABOUT WHAT YOUR RESULTS MEAN:

EPA National Hotline: (800) 557-2366, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### IF YOU HAVE QUESTIONS ABOUT HOW TO FIX A RADON PROBLEM:

Radon Fix-it Hotline: (800) 644-6999, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944



### Report & Sample Dates

DATE RECEIVED: 12/28/2020  
REPORT DATE: 1/4/2021

### Laboratory Certification Info

NRPP ID#: 101132 AL  
STATE ID#: N/A  
ELAP ID#: 11430 NY

Ruth Robinson  
Ruth Robinson  
P.o. Box 97  
260 Green Street  
Paisley, OREGON 97636 USA

## RADON TEST REPORT

### YOUR RADON TEST RESULTS:

RADON LEVEL: **0.9 pCi/L**  
TEST KIT SERIAL #: **FC521693**  
LAB ID: 2248778

TEST ADDRESS: 260 Green St  
Paisley, OR 97636 USA

TEST FLOOR: Not Provided  
TEST LOCATION: Gym Bleachers  
CLOSED HOUSE: Yes

TEST TYPE: Activated Charcoal  
SAMPLE TYPE: Short Term  
TEST METHOD: EPA-402-R-92-004

TEST START: 10:15 AM 12/22/2020  
TEST END: 12:05 PM 12/24/2020  
EXPOSURE: 49.83 Hours

### RADON HEALTH RISK INFORMATION:

Radon is the second leading cause of lung cancer, after smoking. The more elevated a home's radon level, the greater the health risk to you and your family. Smokers and former smokers are at especially high risk.

Radon concentration is measured in picocuries per liter of air (pCi/L). The US Environmental Protection Agency and the Surgeon General strongly recommend taking further action when the home's radon test results are 4 pCi/L or greater. Even homes with very high levels can be reduced below 4 pCi/L. The EPA recommends that you use a NRPP/NRSB or state-approved contractor to correct radon problems. Radon levels less than 4 pCi/L still pose some risk and in many cases may be reduced. If the radon level in your home is between 2 pCi/L and 4 pCi/L, The US Environmental Protection Agency and the Surgeon General recommend that you consider correcting the problem in your home.

QA/QC - Short Term Radon Tests have an estimated accuracy of  $\pm 5\%$  when used according to directions.

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Labs did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Labs is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director



Date 1/4/2021

### IF YOU HAVE QUESTIONS ABOUT WHAT YOUR RESULTS MEAN:

EPA National Hotline: (800) 557-2366, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### IF YOU HAVE QUESTIONS ABOUT HOW TO FIX A RADON PROBLEM:

Radon Fix-it Hotline: (800) 644-6999, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### Report & Sample Dates

DATE RECEIVED: 12/28/2020  
REPORT DATE: 1/4/2021

### Laboratory Certification Info

NRPP ID#: 101132 AL  
STATE ID#: N/A  
ELAP ID#: 11430 NY

Ruth Robinson  
Ruth Robinson  
P.o. Box 97  
260 Green Street  
Paisley, OREGON 97636 USA

## RADON TEST REPORT

### YOUR RADON TEST RESULTS:

RADON LEVEL: **<0.5 pCi/L \***  
TEST KIT SERIAL #: **FC521102**  
LAB ID: 2248781

TEST ADDRESS: 260 Green St  
Paisley, OR 97636 USA

TEST FLOOR: Not Provided  
TEST LOCATION: Art Room  
CLOSED HOUSE: Yes

TEST TYPE: Activated Charcoal  
SAMPLE TYPE: Short Term  
TEST METHOD: EPA-402-R-92-004

TEST START: 10:06 AM 12/22/2020  
TEST END: 11:45 AM 12/24/2020  
EXPOSURE: 49.65 Hours

### RADON HEALTH RISK INFORMATION:

Radon is the second leading cause of lung cancer, after smoking. The more elevated a home's radon level, the greater the health risk to you and your family. Smokers and former smokers are at especially high risk.

Radon concentration is measured in picocuries per liter of air (pCi/L). The US Environmental Protection Agency and the Surgeon General strongly recommend taking further action when the home's radon test results are 4 pCi/L or greater. Even homes with very high levels can be reduced below 4 pCi/L. The EPA recommends that you use a NRPP/NRSB or state-approved contractor to correct radon problems. Radon levels less than 4 pCi/L still pose some risk and in many cases may be reduced. If the radon level in your home is between 2 pCi/L and 4 pCi/L, The US Environmental Protection Agency and the Surgeon General recommend that you consider correcting the problem in your home.

QA/QC - Short Term Radon Tests have an estimated accuracy of  $\pm 5\%$  when used according to directions.

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Labs did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Labs is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

Measurement Specialist / Laboratory Director



Date 1/4/2021

### IF YOU HAVE QUESTIONS ABOUT WHAT YOUR RESULTS MEAN:

EPA National Hotline: (800) 557-2366, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### IF YOU HAVE QUESTIONS ABOUT HOW TO FIX A RADON PROBLEM:

Radon Fix-it Hotline: (800) 644-6999, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944



### Report & Sample Dates

DATE RECEIVED: 12/28/2020  
REPORT DATE: 1/4/2021

### Laboratory Certification Info

NRPP ID#: 101132 AL  
STATE ID#: N/A  
ELAP ID#: 11430 NY

Ruth Robinson  
Ruth Robinson  
P.o. Box 97  
260 Green Street  
Paisley, OREGON 97636 USA

## RADON TEST REPORT

### YOUR RADON TEST RESULTS:

RADON LEVEL: **<0.7 pCi/L \***  
TEST KIT SERIAL #: **FC521614**  
LAB ID: 2248782

TEST ADDRESS: 260 Green St  
Paisley, OR 97636 USA

TEST FLOOR: Not Provided  
TEST LOCATION: Spanish Tech  
CLOSED HOUSE: Yes

TEST TYPE: Activated Charcoal  
SAMPLE TYPE: Short Term  
TEST METHOD: EPA-402-R-92-004

TEST START: 09:47 AM 12/22/2020  
TEST END: 11:50 AM 12/24/2020  
EXPOSURE: 50.05 Hours

### RADON HEALTH RISK INFORMATION:

Radon is the second leading cause of lung cancer, after smoking. The more elevated a home's radon level, the greater the health risk to you and your family. Smokers and former smokers are at especially high risk.

Radon concentration is measured in picocuries per liter of air (pCi/L). The US Environmental Protection Agency and the Surgeon General strongly recommend taking further action when the home's radon test results are 4 pCi/L or greater. Even homes with very high levels can be reduced below 4 pCi/L. The EPA recommends that you use a NRPP/NRSB or state-approved contractor to correct radon problems. Radon levels less than 4 pCi/L still pose some risk and in many cases may be reduced. If the radon level in your home is between 2 pCi/L and 4 pCi/L, The US Environmental Protection Agency and the Surgeon General recommend that you consider correcting the problem in your home.

QA/QC - Short Term Radon Tests have an estimated accuracy of  $\pm 5\%$  when used according to directions.

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Labs did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Labs is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

Measurement Specialist / Laboratory Director



Date 1/4/2021

### IF YOU HAVE QUESTIONS ABOUT WHAT YOUR RESULTS MEAN:

EPA National Hotline: (800) 557-2366, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### IF YOU HAVE QUESTIONS ABOUT HOW TO FIX A RADON PROBLEM:

Radon Fix-it Hotline: (800) 644-6999, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### Report & Sample Dates

DATE RECEIVED: 12/28/2020  
REPORT DATE: 1/4/2021

### Laboratory Certification Info

NRPP ID#: 101132 AL  
STATE ID#: N/A  
ELAP ID#: 11430 NY

Ruth Robinson  
Ruth Robinson  
P.o. Box 97  
260 Green Street  
Paisley, OREGON 97636 USA

## RADON TEST REPORT

### YOUR RADON TEST RESULTS:

RADON LEVEL: **0.8 pCi/L**  
TEST KIT SERIAL #: **FC521658**  
LAB ID: 2248783

TEST ADDRESS: 260 Green St  
Paisley, OR 97636 USA

TEST FLOOR: Not Provided  
TEST LOCATION: V-tell Room  
CLOSED HOUSE: Yes

TEST TYPE: Activated Charcoal  
SAMPLE TYPE: Short Term  
TEST METHOD: EPA-402-R-92-004

TEST START: 09:47 AM 12/22/2020  
TEST END: 11:48 AM 12/24/2020  
EXPOSURE: 50.02 Hours

### RADON HEALTH RISK INFORMATION:

Radon is the second leading cause of lung cancer, after smoking. The more elevated a home's radon level, the greater the health risk to you and your family. Smokers and former smokers are at especially high risk.

Radon concentration is measured in picocuries per liter of air (pCi/L). The US Environmental Protection Agency and the Surgeon General strongly recommend taking further action when the home's radon test results are 4 pCi/L or greater. Even homes with very high levels can be reduced below 4 pCi/L. The EPA recommends that you use a NRPP/NRSB or state-approved contractor to correct radon problems. Radon levels less than 4 pCi/L still pose some risk and in many cases may be reduced. If the radon level in your home is between 2 pCi/L and 4 pCi/L, The US Environmental Protection Agency and the Surgeon General recommend that you consider correcting the problem in your home.

QA/QC - Short Term Radon Tests have an estimated accuracy of  $\pm 5\%$  when used according to directions.

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Labs did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Labs is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director



Date 1/4/2021

### IF YOU HAVE QUESTIONS ABOUT WHAT YOUR RESULTS MEAN:

EPA National Hotline: (800) 557-2366, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### IF YOU HAVE QUESTIONS ABOUT HOW TO FIX A RADON PROBLEM:

Radon Fix-it Hotline: (800) 644-6999, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944



### Report & Sample Dates

DATE RECEIVED: 12/28/2020  
REPORT DATE: 1/4/2021

### Laboratory Certification Info

NRPP ID#: 101132 AL  
STATE ID#: N/A  
ELAP ID#: 11430 NY

Ruth Robinson  
Ruth Robinson  
P.o. Box 97  
260 Green Street  
Paisley, OREGON 97636 USA

## RADON TEST REPORT

### YOUR RADON TEST RESULTS:

RADON LEVEL: **<0.6 pCi/L \***  
TEST KIT SERIAL #: **FC521462**  
LAB ID: 2248784

TEST TYPE: Activated Charcoal  
SAMPLE TYPE: Short Term  
TEST METHOD: EPA-402-R-92-004

TEST ADDRESS: 260 Green St  
Paisley, OR 97636 USA

TEST FLOOR: Not Provided  
TEST LOCATION: Office  
CLOSED HOUSE: Yes

TEST START: 10:08 AM 12/22/2020  
TEST END: 11:50 AM 12/24/2020  
EXPOSURE: 49.7 Hours

### RADON HEALTH RISK INFORMATION:

Radon is the second leading cause of lung cancer, after smoking. The more elevated a home's radon level, the greater the health risk to you and your family. Smokers and former smokers are at especially high risk.

Radon concentration is measured in picocuries per liter of air (pCi/L). The US Environmental Protection Agency and the Surgeon General strongly recommend taking further action when the home's radon test results are 4 pCi/L or greater. Even homes with very high levels can be reduced below 4 pCi/L. The EPA recommends that you use a NRPP/NRSB or state-approved contractor to correct radon problems. Radon levels less than 4 pCi/L still pose some risk and in many cases may be reduced. If the radon level in your home is between 2 pCi/L and 4 pCi/L, The US Environmental Protection Agency and the Surgeon General recommend that you consider correcting the problem in your home.

QA/QC - Short Term Radon Tests have an estimated accuracy of  $\pm 5\%$  when used according to directions.

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Labs did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Labs is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

Measurement Specialist / Laboratory Director



Date 1/4/2021

### IF YOU HAVE QUESTIONS ABOUT WHAT YOUR RESULTS MEAN:

EPA National Hotline: (800) 557-2366, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### IF YOU HAVE QUESTIONS ABOUT HOW TO FIX A RADON PROBLEM:

Radon Fix-it Hotline: (800) 644-6999, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### Report & Sample Dates

DATE RECEIVED: 12/28/2020  
REPORT DATE: 1/4/2021

### Laboratory Certification Info

NRPP ID#: 101132 AL  
STATE ID#: N/A  
ELAP ID#: 11430 NY

Ruth Robinson  
Ruth Robinson  
P.o. Box 97  
260 Green Street  
Paisley, OREGON 97636 USA

## RADON TEST REPORT

### YOUR RADON TEST RESULTS:

RADON LEVEL: **<0.5 pCi/L \***  
TEST KIT SERIAL #: **FC521618**  
LAB ID: 2248786

TEST ADDRESS: 260 Green St  
Paisley, OR 97636 USA

TEST FLOOR: Not Provided  
TEST LOCATION: Library  
CLOSED HOUSE: Yes

TEST TYPE: Activated Charcoal  
SAMPLE TYPE: Short Term  
TEST METHOD: EPA-402-R-92-004

TEST START: 09:57 AM 12/22/2020  
TEST END: 11:55 AM 12/24/2020  
EXPOSURE: 49.97 Hours

### RADON HEALTH RISK INFORMATION:

Radon is the second leading cause of lung cancer, after smoking. The more elevated a home's radon level, the greater the health risk to you and your family. Smokers and former smokers are at especially high risk.

Radon concentration is measured in picocuries per liter of air (pCi/L). The US Environmental Protection Agency and the Surgeon General strongly recommend taking further action when the home's radon test results are 4 pCi/L or greater. Even homes with very high levels can be reduced below 4 pCi/L. The EPA recommends that you use a NRPP/NRSB or state-approved contractor to correct radon problems. Radon levels less than 4 pCi/L still pose some risk and in many cases may be reduced. If the radon level in your home is between 2 pCi/L and 4 pCi/L, The US Environmental Protection Agency and the Surgeon General recommend that you consider correcting the problem in your home.

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Labs did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Labs is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

Measurement Specialist / Laboratory Director



Date 1/4/2021

### IF YOU HAVE QUESTIONS ABOUT WHAT YOUR RESULTS MEAN:

EPA National Hotline: (800) 557-2366, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### IF YOU HAVE QUESTIONS ABOUT HOW TO FIX A RADON PROBLEM:

Radon Fix-it Hotline: (800) 644-6999, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944



### Report & Sample Dates

DATE RECEIVED: 12/28/2020  
REPORT DATE: 1/4/2021

### Laboratory Certification Info

NRPP ID#: 101132 AL  
STATE ID#: N/A  
ELAP ID#: 11430 NY

Ruth Robinson  
Ruth Robinson  
P.o. Box 97  
260 Green Street  
Paisley, OREGON 97636 USA

## RADON TEST REPORT

### YOUR RADON TEST RESULTS:

RADON LEVEL: **0.9 pCi/L**  
TEST KIT SERIAL #: **FC630497**  
LAB ID: 2248785

TEST ADDRESS: 260 Green St  
Paisley, OR 97636 USA

TEST FLOOR: Not Provided  
TEST LOCATION: Cafeteria Dining  
CLOSED HOUSE: Yes

TEST TYPE: Activated Charcoal  
SAMPLE TYPE: Short Term  
TEST METHOD: EPA-402-R-92-004

TEST START: 10:10 AM 12/22/2020  
TEST END: 12:00 PM 12/24/2020  
EXPOSURE: 49.83 Hours

### RADON HEALTH RISK INFORMATION:

Radon is the second leading cause of lung cancer, after smoking. The more elevated a home's radon level, the greater the health risk to you and your family. Smokers and former smokers are at especially high risk.

Radon concentration is measured in picocuries per liter of air (pCi/L). The US Environmental Protection Agency and the Surgeon General strongly recommend taking further action when the home's radon test results are 4 pCi/L or greater. Even homes with very high levels can be reduced below 4 pCi/L. The EPA recommends that you use a NRPP/NRSB or state-approved contractor to correct radon problems. Radon levels less than 4 pCi/L still pose some risk and in many cases may be reduced. If the radon level in your home is between 2 pCi/L and 4 pCi/L, The US Environmental Protection Agency and the Surgeon General recommend that you consider correcting the problem in your home.

QA/QC - Short Term Radon Tests have an estimated accuracy of  $\pm 5\%$  when used according to directions.

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Labs did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Labs is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director



Date 1/4/2021

### IF YOU HAVE QUESTIONS ABOUT WHAT YOUR RESULTS MEAN:

EPA National Hotline: (800) 557-2366, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### IF YOU HAVE QUESTIONS ABOUT HOW TO FIX A RADON PROBLEM:

Radon Fix-it Hotline: (800) 644-6999, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### Report & Sample Dates

DATE RECEIVED: 12/28/2020  
REPORT DATE: 1/4/2021

### Laboratory Certification Info

NRPP ID#: 101132 AL  
STATE ID#: N/A  
ELAP ID#: 11430 NY

Ruth Robinson  
Ruth Robinson  
P.o. Box 97  
260 Green Street  
Paisley, OREGON 97636 USA

## RADON TEST REPORT

### YOUR RADON TEST RESULTS:

RADON LEVEL: **1.2 pCi/L**  
TEST KIT SERIAL #: **FC521225**  
LAB ID: 2248771

TEST ADDRESS: 260 Green St  
Paisley, OR 97636 USA

TEST FLOOR: Not Provided  
TEST LOCATION: Boys Locker Room  
CLOSED HOUSE: Yes

TEST TYPE: Activated Charcoal  
SAMPLE TYPE: Short Term  
TEST METHOD: EPA-402-R-92-004

TEST START: 10:20 AM 12/22/2020  
TEST END: 12:10 PM 12/24/2020  
EXPOSURE: 49.83 Hours

### RADON HEALTH RISK INFORMATION:

Radon is the second leading cause of lung cancer, after smoking. The more elevated a home's radon level, the greater the health risk to you and your family. Smokers and former smokers are at especially high risk.

Radon concentration is measured in picocuries per liter of air (pCi/L). The US Environmental Protection Agency and the Surgeon General strongly recommend taking further action when the home's radon test results are 4 pCi/L or greater. Even homes with very high levels can be reduced below 4 pCi/L. The EPA recommends that you use a NRPP/NRSB or state-approved contractor to correct radon problems. Radon levels less than 4 pCi/L still pose some risk and in many cases may be reduced. If the radon level in your home is between 2 pCi/L and 4 pCi/L, The US Environmental Protection Agency and the Surgeon General recommend that you consider correcting the problem in your home.

QA/QC - Short Term Radon Tests have an estimated accuracy of  $\pm 5\%$  when used according to directions.

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Labs did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Labs is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director



Date 1/4/2021

### IF YOU HAVE QUESTIONS ABOUT WHAT YOUR RESULTS MEAN:

EPA National Hotline: (800) 557-2366, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### IF YOU HAVE QUESTIONS ABOUT HOW TO FIX A RADON PROBLEM:

Radon Fix-it Hotline: (800) 644-6999, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944



### Report & Sample Dates

DATE RECEIVED: 12/28/2020  
REPORT DATE: 1/4/2021

### Laboratory Certification Info

NRPP ID#: 101132 AL  
STATE ID#: N/A  
ELAP ID#: 11430 NY

Ruth Robinson  
Ruth Robinson  
P.o. Box 97  
260 Green Street  
Paisley, OR 97636 USA

## RADON TEST REPORT

### YOUR RADON TEST RESULTS:

RADON LEVEL: **1.0 pCi/L**  
TEST KIT SERIAL #: **FC521273**  
LAB ID: 2248770

TEST ADDRESS: 260 Green St  
Paisley, OR 97636 USA

TEST FLOOR: Not Provided  
TEST LOCATION: Boiler Room  
CLOSED HOUSE: Yes

TEST TYPE: Activated Charcoal  
SAMPLE TYPE: Short Term  
TEST METHOD: EPA-402-R-92-004

TEST START: 10:00 AM 12/22/2020  
TEST END: 12:20 PM 12/24/2020  
EXPOSURE: 50.33 Hours

### RADON HEALTH RISK INFORMATION:

Radon is the second leading cause of lung cancer, after smoking. The more elevated a home's radon level, the greater the health risk to you and your family. Smokers and former smokers are at especially high risk.

Radon concentration is measured in picocuries per liter of air (pCi/L). The US Environmental Protection Agency and the Surgeon General strongly recommend taking further action when the home's radon test results are 4 pCi/L or greater. Even homes with very high levels can be reduced below 4 pCi/L. The EPA recommends that you use a NRPP/NRSB or state-approved contractor to correct radon problems. Radon levels less than 4 pCi/L still pose some risk and in many cases may be reduced. If the radon level in your home is between 2 pCi/L and 4 pCi/L, The US Environmental Protection Agency and the Surgeon General recommend that you consider correcting the problem in your home.

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Labs did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Labs is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director



Date 1/4/2021

### IF YOU HAVE QUESTIONS ABOUT WHAT YOUR RESULTS MEAN:

EPA National Hotline: (800) 557-2366, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### IF YOU HAVE QUESTIONS ABOUT HOW TO FIX A RADON PROBLEM:

Radon Fix-it Hotline: (800) 644-6999, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### Report & Sample Dates

DATE RECEIVED: 12/28/2020  
REPORT DATE: 1/4/2021

### Laboratory Certification Info

NRPP ID#: 101132 AL  
STATE ID#: N/A  
ELAP ID#: 11430 NY

Ruth Robinson  
Ruth Robinson  
P.o. Box 97  
260 Green Street  
Paisley, OREGON 97636 USA

## RADON TEST REPORT

### YOUR RADON TEST RESULTS:

RADON LEVEL: **1.4 pCi/L**  
TEST KIT SERIAL #: **FC521659**  
LAB ID: 2248769

TEST ADDRESS: 260 Green St  
Paisley, OR 97636 USA

TEST FLOOR: Not Provided  
TEST LOCATION: Kiln Room  
CLOSED HOUSE: Yes

TEST TYPE: Activated Charcoal  
SAMPLE TYPE: Short Term  
TEST METHOD: EPA-402-R-92-004

TEST START: 10:02 AM 12/22/2020  
TEST END: 12:22 PM 12/24/2020  
EXPOSURE: 50.33 Hours

### RADON HEALTH RISK INFORMATION:

Radon is the second leading cause of lung cancer, after smoking. The more elevated a home's radon level, the greater the health risk to you and your family. Smokers and former smokers are at especially high risk.

Radon concentration is measured in picocuries per liter of air (pCi/L). The US Environmental Protection Agency and the Surgeon General strongly recommend taking further action when the home's radon test results are 4 pCi/L or greater. Even homes with very high levels can be reduced below 4 pCi/L. The EPA recommends that you use a NRPP/NRSB or state-approved contractor to correct radon problems. Radon levels less than 4 pCi/L still pose some risk and in many cases may be reduced. If the radon level in your home is between 2 pCi/L and 4 pCi/L, The US Environmental Protection Agency and the Surgeon General recommend that you consider correcting the problem in your home.

QA/QC - Short Term Radon Tests have an estimated accuracy of  $\pm 5\%$  when used according to directions.

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Labs did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Labs is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director



Date 1/4/2021

### IF YOU HAVE QUESTIONS ABOUT WHAT YOUR RESULTS MEAN:

EPA National Hotline: (800) 557-2366, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### IF YOU HAVE QUESTIONS ABOUT HOW TO FIX A RADON PROBLEM:

Radon Fix-it Hotline: (800) 644-6999, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944



### Report & Sample Dates

DATE RECEIVED: 12/28/2020  
REPORT DATE: 1/4/2021

### Laboratory Certification Info

NRPP ID#: 101132 AL  
STATE ID#: N/A  
ELAP ID#: 11430 NY

Ruth Robinson  
Ruth Robinson  
P.o. Box 97  
260 Green Street  
Paisley, OREGON 97636 USA

## RADON TEST REPORT

### YOUR RADON TEST RESULTS:

**RADON LEVEL: 1.6 pCi/L**  
**TEST KIT SERIAL #: FC521272**  
**LAB ID: 2248768**

TEST TYPE: Activated Charcoal  
SAMPLE TYPE: Short Term  
TEST METHOD: EPA-402-R-92-004

TEST ADDRESS: 260 Green St  
Paisley, OR 97636 USA

TEST FLOOR: Not Provided  
TEST LOCATION: Gym Basement South End  
CLOSED HOUSE: Yes

TEST START: 10:16 AM 12/22/2020  
TEST END: 12:09 PM 12/24/2020  
EXPOSURE: 49.88 Hours

### RADON HEALTH RISK INFORMATION:

Radon is the second leading cause of lung cancer, after smoking. The more elevated a home's radon level, the greater the health risk to you and your family. Smokers and former smokers are at especially high risk.

Radon concentration is measured in picocuries per liter of air (pCi/L). The US Environmental Protection Agency and the Surgeon General strongly recommend taking further action when the home's radon test results are 4 pCi/L or greater. Even homes with very high levels can be reduced below 4 pCi/L. The EPA recommends that you use a NRPP/NRSB or state-approved contractor to correct radon problems. Radon levels less than 4 pCi/L still pose some risk and in many cases may be reduced. If the radon level in your home is between 2 pCi/L and 4 pCi/L, The US Environmental Protection Agency and the Surgeon General recommend that you consider correcting the problem in your home.

QA/QC - Short Term Radon Tests have an estimated accuracy of  $\pm 5\%$  when used according to directions.

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Labs did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Labs is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director



Date 1/4/2021

### IF YOU HAVE QUESTIONS ABOUT WHAT YOUR RESULTS MEAN:

EPA National Hotline: (800) 557-2366, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### IF YOU HAVE QUESTIONS ABOUT HOW TO FIX A RADON PROBLEM:

Radon Fix-it Hotline: (800) 644-6999, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### Report & Sample Dates

DATE RECEIVED: 12/28/2020  
REPORT DATE: 1/4/2021

### Laboratory Certification Info

NRPP ID#: 101132 AL  
STATE ID#: N/A  
ELAP ID#: 11430 NY

## RADON TEST REPORT

Ruth Robinson  
P.o. Box 97  
Paisley, OR 97636 USA

### YOUR RADON TEST RESULTS:

RADON LEVEL: **1.0 pCi/L**  
TEST KIT SERIAL #: **FC521697**  
LAB ID: 2248767

TEST TYPE: Activated Charcoal  
SAMPLE TYPE: Short Term  
TEST METHOD: EPA-402-R-92-004

TEST ADDRESS: 260 Green St  
Paisley, OR 97636 USA

TEST FLOOR: 1st Floor  
TEST LOCATION: Music Room  
CLOSED HOUSE: Yes

TEST START: 09:59 AM 12/22/2020  
TEST END: 11:57 AM 12/24/2020  
EXPOSURE: 49.97 Hours

### RADON HEALTH RISK INFORMATION:

Radon is the second leading cause of lung cancer, after smoking. The more elevated a home's radon level, the greater the health risk to you and your family. Smokers and former smokers are at especially high risk.

Radon concentration is measured in picocuries per liter of air (pCi/L). The US Environmental Protection Agency and the Surgeon General strongly recommend taking further action when the home's radon test results are 4 pCi/L or greater. Even homes with very high levels can be reduced below 4 pCi/L. The EPA recommends that you use a NRPP/NRSB or state-approved contractor to correct radon problems. Radon levels less than 4 pCi/L still pose some risk and in many cases may be reduced. If the radon level in your home is between 2 pCi/L and 4 pCi/L, The US Environmental Protection Agency and the Surgeon General recommend that you consider correcting the problem in your home.

QA/QC - Short Term Radon Tests have an estimated accuracy of  $\pm 5\%$  when used according to directions.

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Labs did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Labs is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director



Date 1/4/2021

### IF YOU HAVE QUESTIONS ABOUT WHAT YOUR RESULTS MEAN:

EPA National Hotline: (800) 557-2366, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944

### IF YOU HAVE QUESTIONS ABOUT HOW TO FIX A RADON PROBLEM:

Radon Fix-it Hotline: (800) 644-6999, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: (503) 945-5944



### Report & Sample Dates

DATE RECEIVED: 12/28/2020  
REPORT DATE: 1/4/2021

### Laboratory Certification Info

NRPP ID#: 101132 AL  
STATE ID#:   
ELAP ID#: 11430 NY

## RADON TEST REPORT

Ruth Robinson  
P.o. Box 97  
260 Green Street  
Paisley, OREGON 97636 USA

### YOUR RADON TEST RESULTS:

**RADON LEVEL: 1.3 pCi/L**  
**TEST KIT SERIAL #: FC521620**  
**LAB ID: 2248772**

TEST ADDRESS: 260 Green Street  
Paisley, OREGON 97636 USA

TEST FLOOR: Not Provided  
TEST LOCATION: Storage Basement  
CLOSED HOUSE: Yes

TEST TYPE: Activated Charcoal  
SAMPLE TYPE: Short Term  
TEST METHOD: EPA-402-R-92-004

TEST START: 10:05 AM 12/22/2020  
TEST END: 12:29 PM 12/24/2020  
EXPOSURE: 50.4 Hours

### RADON HEALTH RISK INFORMATION:

Radon is the second leading cause of lung cancer, after smoking. The more elevated a home's radon level, the greater the health risk to you and your family. Smokers and former smokers are at especially high risk.

Radon concentration is measured in picocuries per liter of air (pCi/L). The US Environmental Protection Agency and the Surgeon General strongly recommend taking further action when the home's radon test results are 4 pCi/L or greater. Even homes with very high levels can be reduced below 4 pCi/L. The EPA recommends that you use a NRPP/NRSB or state-approved contractor to correct radon problems. Radon levels less than 4 pCi/L still pose some risk and in many cases may be reduced. If the radon level in your home is between 2 pCi/L and 4 pCi/L, The US Environmental Protection Agency and the Surgeon General recommend that you consider correcting the problem in your home.

QA/QC - Short Term Radon Tests have an estimated accuracy of  $\pm 5\%$  when used according to directions.

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Labs did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Labs is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director



Date 1/4/2021

### IF YOU HAVE QUESTIONS ABOUT WHAT YOUR RESULTS MEAN:

EPA National Hotline: (800) 557-2366, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact:

### IF YOU HAVE QUESTIONS ABOUT HOW TO FIX A RADON PROBLEM:

Radon Fix-it Hotline: (800) 644-6999, [epa.gov/radon](http://epa.gov/radon), or, call your State Radon Contact: